



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

SEARCH

THE ACM DIGITAL LIBRARY

[Feedback](#)

permutation and obfuscation and (one-to-one mapping) and (different)

Terms used:

permutation obfuscation one to one mapping different

Found
8 of
241,625

Sort
results
by

relevance

Display
results

expanded form



[Save](#) [Refine](#)
[results](#) [these](#)
[to a](#) [results](#)
[Binder](#) [with](#)



[Open](#) [Advanced](#)
[results](#) [Search](#)
[in a new](#) [Try this](#)
[window](#) [search](#)
[in The](#)
[ACM](#)
[Guide](#)

Results 1 - 8 of 8

1 [Dynamic graph-based software fingerprinting](#)

Christian S. Collberg, Clark Thomborson, Gregg M. Townsend
October 2007 ACM Transactions on Programming Languages and Systems
(TOPLAS), Volume 29 Issue 6

Publisher: ACM

Full text available: [pdf \(1.48 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 42, Downloads (12 Months): 245, Citation Count: 0

Fingerprinting embeds a secret message into a cover message. In media fingerprinting, the secret is usually a copyright notice and the cover a digital image. Fingerprinting an object discourages intellectual property theft, or when such theft has occurred, ...

Keyw ords: Software piracy, software protection, watermarking


2 [HIDE: an infrastructure for efficiently protecting information leakage on the](#)

[address bus](#)

Xiaotong Zhuang, Tao Zhang, Santosh Pande

December ACM SIGOPS Operating Systems Review, Volume 38 Issue 5
2004

Publisher: ACM

Full text available:  [pdf\(216.31 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#),
[index terms](#)

Bibliometrics: Downloads (6 Weeks): 4, Downloads (12 Months): 90, Citation Count: 7

XOM-based secure processor has recently been introduced as a mechanism to provide copy and tamper resistant execution. XOM provides support for encryption/decryption and integrity checking. However, neither XOM nor any other current approach adequately ...

Keywords: address bus leakage protection, secure processor

3 [HIDE: an infrastructure for efficiently protecting information leakage on the](#)

[address bus](#)

Xiaotong Zhuang, Tao Zhang, Santosh Pande

December ACM SIGARCH Computer Architecture News, Volume 32 Issue 5
2004

Publisher: ACM

Full text available:  [pdf\(216.31 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#),
[index terms](#)

Bibliometrics: Downloads (6 Weeks): 4, Downloads (12 Months): 90, Citation Count: 7

XOM-based secure processor has recently been introduced as a mechanism to provide copy and tamper resistant execution. XOM provides support for encryption/decryption and integrity checking. However, neither XOM nor any other current approach adequately ...

Keywords: address bus leakage protection, secure processor


4 [HIDE: an infrastructure for efficiently protecting information leakage on the](#)

[address bus](#)

Xiaotong Zhuang, Tao Zhang, Santosh Pande

October ASPLOS-XI: Proceedings of the 11th international conference on
2004 Architectural support for programming languages and operating systems

Publisher: ACM

Full text available:  [pdf\(216.31 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#),
[index terms](#)

Bibliometrics: Downloads (6 Weeks): 4, Downloads (12 Months): 90, Citation Count: 7

XOM-based secure processor has recently been introduced as a mechanism to provide copy and tamper resistant execution. XOM provides support for encryption/decryption and integrity checking. However, neither XOM nor any other current approach adequately ...

Keyw ord s: address bus leakage protection, secure processor

5 HIDE: an infrastructure for efficiently protecting information leakage on the address bus



Xiaotong Zhuang, Tao Zhang, Santosh Pande

November 2004 ACM SIGPLAN Notices, Volume 39 Issue 11

Publisher: ACM

Full text available: [pdf\(216.31 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [cited by](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 4, Downloads (12 Months): 90, Citation Count: 7

XOM-based secure processor has recently been introduced as a mechanism to provide copy and tamper resistant execution. XOM provides support for encryption/decryption and integrity checking. However, neither XOM nor any other current approach adequately ...

Keyw ord s: address bus leakage protection, secure processor

6 Drm to counter side-channel attacks?



Ryad Benadjila, Olivier Billet, Stanislas Francfort

October 2007 DRM '07: Proceedings of the 2007 ACM workshop on Digital Rights Management

Publisher: ACM

Full text available: [pdf\(238.48 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 17, Downloads (12 Months): 100, Citation Count: 0

In the DRM setting, the attacker is a very powerful adversary, owning the software as well as the underlying hardware. This context is far different from the black-box attacker commonly considered in conventional cryptography. Therefore, cryptographers ...

Keyw ord s: AES, DRM, side-channel attacks, white-box

7 [Code protection for resource-constrained embedded devices](#)



H. Saputra, G. Chen, R. Brooks, N. Vijaykrishnan, M. Kandemir, M. J. Irwin
July 2004 ACM SIGPLAN Notices, Volume 39 Issue 7

Publisher: ACM

Full text available: [pdf\(290.95 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 8, Downloads (12 Months): 92, Citation Count: 0

While the machine neutral Java bytecodes are attractive for code distribution in the highly heterogeneous embedded domain, the well-documented and standardized features also make it difficult to protect these codes. In fact, there are several tools to ...

Keyw ords: Java security, cryptography, java byte code, mono-alphabetic, poly-alphabetic, substitution

8 [Code protection for resource-constrained embedded devices](#)



H. Saputra, G. Chen, R. Brooks, N. Vijaykrishnan, M. Kandemir, M. J. Irwin
June 2004 LCTES '04: Proceedings of the 2004 ACM SIGPLAN/SIGBED conference on Languages, compilers, and tools for embedded systems

Publisher: ACM

Full text available: [pdf\(290.95 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Bibliometrics: Downloads (6 Weeks): 8, Downloads (12 Months): 92, Citation Count: 0

While the machine neutral Java bytecodes are attractive for code distribution in the highly heterogeneous embedded domain, the well-documented and standardized features also make it difficult to protect these codes. In fact, there are several tools to ...

Keyw ords: Java security, cryptography, java byte code, mono-alphabetic, poly-alphabetic, substitution

Results 1 - 8 of 8

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2008 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)